

## Seamless tubes

*Stainless and acid proof, cold or hot drawn, annealed and pickled, pressure-tested at 80 kp/cm<sup>2</sup>, available in lengths of 4-7 metres*

*Tolerances: ASTM A312/ANSI B 36.19 corresponding to EN ISO 1127*

	<i>Cold drawntubes:</i>	<i>Hot drawn tubes:</i>	<i>Hydraulics tubes:</i>
	<i>D2/T3</i>	<i>D2/T2</i>	<i>D4/T3</i>
<i>Ext. diameter:</i>	<i>+/- 1% min. +/- 0,50 mm</i>	<i>+/- 1% min. +/- 0,50 mm</i>	<i>+/- 0,5 min. +/- 0,10 mm</i>
<i>Wall thickness:</i>	<i>+/- 10% min. +/- 0,20 mm</i>	<i>+/- 10% min. +/- 0,20 mm</i>	<i>+/- 10% min. +/- 0,20 mm</i>

*Working pressure: Max. allowable working pressure for seamless steel tubes at +20°C, calculated using the following formula:*

$$\frac{200 \times 12 \times w}{d} \quad (w = \text{wall thickness, } d = \text{diameter})$$

*Example: dimension 50 x 2 mm*

$$\frac{200 \times 12 \times 2}{50} = 96 \text{ kg/cm}^2$$

*Formula for calculating working pressure at other temperatures available upon request.*

*Certificate: EN 10204/3.1*

Seamless tubes and pipes  
Stainless and acid proof,  
Cold or hot finished,  
Annealed and pickled

Tolerances: EN/ISO 1127, ASTM A312, ANSI B 36.19  
Certificate: EN 10204/3.1

Dimension	Kg/m	EN	1.4301	1.4306	1.4541	1.4404	1.4571
			Articleno.	Articleno.	Articleno.	Articleno.	Articleno.
4,00 x 1,00	0,07		00001	00002	00003	00004	00006
5,00 x 1,00	0,10		00007	00008	00009	00010	00012
6,00 x 1,00	0,12		00013	19100	00015	19150	00018
x 1,50	0,16		00019	00020	01461	19172	00023
x 2,00	0,20		00024	00025	00026	00027	00029
8,00 x 1,00	0,17		00030	19101	00032	19151	00035
x 1,50	0,24		00036	19102	00038	19152	00041
x 2,00	0,30		00042	00043	00044	00045	00047
9,00 x 1,00	0,20		00048	00049	00050	00051	00053
x 1,50	0,28		00054	00055	00056	00057	00059
10,00 x 1,00	0,22		00060	19103	00062	19153	00065
x 1,50	0,31		00066	19104	00068	19154	00071
x 2,00	0,40		00072	19129	00074	19155	00077
x 2,50	0,47		00078	19130	00080	00081	00083
10,20 x 1,60	0,34		00084	00085	00086	00087	00089
x 2,00	0,41	1/8" ISO	00090	00091	00092	00093	00095
11,00 x 1,50	0,35		00096	00097	00098	00099	00101
12,00 x 1,00	0,27		00102	19105	00104	19156	00107
x 1,50	0,39		00108	19106	00110	19157	00113
x 2,00	0,50		00114	19107	00116	19158	00119
13,00 x 1,00	0,30		00120	00121	00122	00123	00125
x 1,50	0,43		00126	00127	00128	00129	00131
x 2,50	0,65		00132	00133	00134	00135	00137
13,25 x 2,75	0,72		00138	00139	00140	00141	00143
13,50 x 1,60	0,47		00144	00145	00146	00147	00149
x 1,80	0,52		00150	01462	01463	00151	00153
x 2,00	0,57		00154	00155	00156	00157	00159
x 2,30	0,64	1/4" ISO	00160	00161	00162	00163	00165
13,72 x 2,24	0,64	1/4" SCH 40S	00166	00167	00168	00170	801000
x 3,02	0,80	1/4" SCH 80S	801000	801000	801000	00176	801000
x 3,05	0,80	1/4" SCH 80S	00172	00173	00174	801000	801000
14,00 x 1,00	0,32		00178	00179	00180	00182	00183
x 1,50	0,47		00184	00185	00186	00187	00190
x 2,00	0,60		00191	19108	00193	00194	00196
x 2,50	0,72		00197	00198	00199	00200	00202
x 3,00	0,82		00203	00204	00205	00206	00208
15,00 x 1,00	0,35		00209	00210	00211	00212	00214
x 1,50	0,50		00215	19109	00217	19159	00220
x 2,00	0,65		00221	19110	00223	19160	00226
16,00 x 1,00	0,37		00227	00228	00229	00230	00232
x 1,50	0,54		00233	19111	00235	19173	00238
x 2,00	0,70		00239	19112	00241	19161	00244
x 2,50	0,84		00245	01464	00246	00247	00249

Seamless tubes and pipes  
Stainless and acid proof,  
Cold or hot finished,  
Annealed and pickled

Tolerances: EN/ISO 1127, ASTM A312, ANSI B 36.19  
Certificate: EN 10204/3.1

Dimension		Kg/m	EN	1.4301	1.4306	1.4541	1.4404	1.4571
				Articleno.	Articleno.	Articleno.	Articleno.	Articleno.
16,00 x 3,00		0,97		00250	00251	00252	00253	00256
x 3,50		1,09		00257	00258	00259	00260	00262
17,00 x 1,00		0,40		00263	00264	00265	00266	00268
x 1,50		0,58		00269	00270	00271	00272	00274
x 2,00		0,75		00275	00276	00277	00278	00280
x 3,00		1,05		00281	00282	00283	00284	00286
17,15 x 1,60	3/8" SCH 10S	0,62		00287	00288	00289	00291	801000
x 2,31	3/8" SCH 40S	0,84		801000	00294	00295	00296	00298
x 3,20	3/8" SCH 80S	1,11		00299	00300	00301	00303	801000
17,20 x 1,60		0,63		00306	00307	00308	801000	801000
x 1,80		0,69		00305	01465	01466	00309	00311
x 2,00		0,76		00312	00313	00314	00315	00317
x 2,30	3/8" ISO	0,85		00318	00319	00320	00321	00323
18,00 x 1,00		0,42		00324	00325	00326	00327	00329
x 1,50		0,62		00330	19113	00332	19162	00335
x 2,00		0,80		00336	00337	00338	00339	00341
18,00 x 2,50		0,97		00342	19114	00344	19174	00347
19,00 x 2,00		0,85		00348	00349	00350	00351	00353
19,05 x 1,65		0,71		00354	00355	00356	00357	00359
x 2,10		0,89		00360	00361	00362	00363	00365
20,00 x 1,00		0,47		00366	00367	00368	00369	00371
x 1,50		0,69		00372	19115	00374	00375	00377
x 2,00		0,90		00378	19116	00380	19163	00383
x 2,50		1,09		00384	00385	00386	19164	00389
x 3,00		1,27		00390	00391	00392	00393	00395
x 4,00		1,60		00396	00397	00398	00399	00401
21,00 x 1,50		0,73		00402	00403	00404	00405	00407
21,30 x 2,00		0,96		00408	00409	00410	00411	00413
x 2,60	1/2" ISO	1,21		00414	00415	00416	00417	00419
x 2,90		1,33		00420	00421	00422	00423	00425
x 3,20		1,45		00426	00427	00428	00429	00431
21,34 x 1,65	1/2" SCH 5S	0,81		00432	00433	00434	00436	801000
x 2,11	1/2" SCH 10S	1,01		00438	00439	00440	00442	801000
x 2,77	1/2" SCH 40S	1,28		00444	00445	00446	00448	801000
x 3,73	1/2" SCH 80S	1,64		00450	00451	00452	00455	801000
x 4,78		1,98		00457	00458	00459	00460	00462
22,00 x 1,00		0,52		00463	00464	00465	00466	00468
x 1,50		0,77		00469	19117	00471	00472	00474
x 2,00		1,00		00475	19118	00477	19165	00480
x 3,00		1,42		00481	00482	00483	00484	00486
22,00 x 4,00		1,80		00487	00488	00489	00490	00492
23,00 x 1,50		0,80		00493	00494	00495	00496	00498
x 3,87		1,85		00499	00500	00501	00502	00504

Seamless tubes and pipes  
Stainless and acid proof,  
Cold or hot finished,  
Annealed and pickled

Tolerances: EN/ISO 1127, ASTM A312, ANSI B 36.19  
Certificate: EN 10204/3.1

Dimension		Kg/m	EN	1.4301	1.4306	1.4541	1.4404	1.4571
				Articleno.	Articleno.	Articleno.	Articleno.	Articleno.
24,00 x 1,00		0,57		00505	00506	00507	00508	00510
x 2,00		1,10		00511	00512	00513	00514	00516
x 3,50		1,74		00517	00518	00519	00520	00522
x 4,00		2,00		00523	00524	00525	00526	00528
25,00 x 1,00		0,60		00529	00530	00531	00532	00534
x 1,50		0,88		00535	19131	00537	00538	00540
x 2,00		1,15		00541	19119	00543	19166	00546
x 2,50		1,40		00547	19120	00549	19167	00552
x 3,00		1,65		00553	00554	00555	19168	00558
x 3,20		1,74		00559	00560	00561	00562	00564
x 3,50		1,88		00565	00566	00567	00568	00570
x 4,00		2,10		00571	00572	00573	00574	00576
26,67 x 1,65	3/4" SCH 5S	1,03		00577	00578	00579	00581	801000
x 2,11	3/4" SCH 10S	1,29		00583	00584	00585	00587	801000
x 2,87	3/4" SCH 40S	1,71		00589	00590	00591	00593	801000
x 3,91	3/4" SCH 80S	2,22		00595	00596	00597	00599	801000
x 5,54	3/4" SCH 160	2,93		00601	00602	00603	00605	801000
26,90 x 1,60		1,04		00607	00608	00609	00610	00612
x 2,00		1,24		00613	00614	00615	00616	00618
x 2,30		1,41		00619	00620	00621	00622	00624
x 2,60	3/4" ISO	1,58		00625	00626	00627	00628	00630
x 3,20		1,89		00631	00632	00633	00634	00636
x 3,60		2,10		00637	00638	00639	00640	00642
27,00 x 3,00		1,80		00643	00644	00645	00646	00648
x 3,50		2,06		00649	00650	00651	00652	00654
x 4,00		2,30		00655	00656	00657	00658	00660
28,00 x 1,00		0,67		00662	00663	00664	00665	00667
x 1,50		0,99		00668	00669	00670	19169	00674
x 2,00		1,30		00675	19121	00677	00678	00680
x 2,50		1,59		00681	19122	00683	00684	00686
x 3,00		1,87		00687	00688	00689	19175	00692
x 5,00		2,88		00693	00694	00695	00696	00698
29,00 x 2,00		1,35		00699	00700	00701	00702	00704
30,00 x 1,00		0,72		00705	00706	00707	00708	00710
x 1,50		1,07		00711	00712	00713	00714	00716
x 2,00		1,40		00717	00718	00719	00720	00722
x 2,60		1,78		00723	00724	00725	00726	00728
x 3,00		2,02		00729	19123	00731	19170	00734
x 3,50		2,32		00735	00736	00737	00738	00740
x 5,00		3,13		00741	00742	00743	00744	00746
31,80 x 1,00		0,77		00747	00748	00749	00750	00752
x 1,20		0,95		00753	00754	00755	00756	00758
x 1,60		1,24		00759	00760	00761	00762	00764

Seamless tubes and pipes  
Stainless and acid proof,  
Cold or hot finished,  
Annealed and pickled

Tolerances: EN/ISO 1127, ASTM A312, ANSI B 36.19  
Certificate: EN 10204/3.1

Dimension	Nom	Kg/m	EN	1.4301	1.4306	1.4541	1.4404	1.4571
				Articleno.	Articleno.	Articleno.	Articleno.	Articleno.
32,00 x 1,50		1,14		00765	00766	00767	00768	00770
x 2,00		1,50		00771	00772	00773	00774	00776
x 2,50		1,84		00777	00778	00779	00780	00782
x 3,00		2,17		00783	00784	00785	00786	00788
33,00 x 1,50		1,18		00789	00790	00791	00792	00794
x 2,50		1,90		00795	00796	00797	00798	00800
x 4,00		2,90		00801	00802	00803	00804	00806
33,40 x 2,77	1" SCH 10S	2,12		00807	00808	00809	00811	801000
x 3,38	1" SCH 40S	2,54		00813	00814	00815	00817	801000
x 4,55	1" SCH 80S	3,28		00819	00820	00821	00823	801000
x 6,35	1" SCH 160	4,30		00825	00826	00827	00829	801000
33,70 x 1,60		1,32		00831	00832	00833	00834	00836
x 2,00		1,58		00837	00838	00839	00840	00842
x 2,60		2,02		00843	00844	00845	00846	00848
x 2,90		2,23		00849	00850	00851	00852	00854
x 3,20	1" ISO	2,44		00855	00856	00857	00858	00860
x 3,60		2,71		00861	00862	00863	00864	00866
x 4,05		2,97		00867	00868	00869	00870	00872
34,00 x 1,00		0,82		00873	00874	00875	00876	00878
x 1,50		1,22		00879	00880	00881	00882	00884
x 2,00		1,60		00885	00886	00887	00888	00890
x 3,50		2,66		00891	00892	00893	00894	00896
x 4,00		3,00		00897	00898	00899	00900	00902
x 5,50		3,92		00903	00904	00905	801000	00908
35,00 x 1,25		1,05		00909	00910	00911	00912	00914
x 1,50		1,25		00915	00916	00917	00918	00920
x 2,00		1,65		00921	00922	00923	19171	00926
x 2,50		2,03		00927	19132	00929	00930	00932
x 5,00		3,75		00933	00934	00935	00936	00938
36,00 x 2,00		1,70		00939	00940	00941	00942	00944
38,00 x 1,00		0,92		00945	00946	00947	00948	00950
x 1,50		1,37		00951	00952	00953	00954	00956
x 2,00		1,80		00957	00958	00959	00960	00962
x 2,60		2,30		00963	00964	00965	00966	00968
x 3,00		2,62		00969	19125	00971	19177	00974
x 3,60		3,10		00975	00976	00977	00978	00980
x 4,00		3,40		00981	19126	00983	19178	00986
x 5,00		4,07		00987	00988	00989	00990	00992
38,10 x 1,25		1,15		00993	00994	00995	00996	00998
x 1,60		1,46		01600	01601	01602	01603	01605
40,00 x 1,00		0,97		01606	01607	01608	01609	01611
x 1,50		1,44		01612	01613	01614	01615	01617
x 2,00		1,90		01618	01619	01620	01621	01623

Seamless tubes and pipes  
Stainless and acid proof,  
Cold or hot finished,  
Annealed and pickled

Tolerances: EN/ISO 1127, ASTM A312, ANSI B 36.19  
Certificate: EN 10204/3.1

Dimension	Nom	Kg/m	EN	1.4301	1.4306	1.4541	1.4404	1.4571
				Articleno.	Articleno.	Articleno.	Articleno.	Articleno.
40,00 x 2,50		2,34		01624	01625	01626	01627	01629
x 3,00		2,77		01630	01631	01632	01633	01635
x 5,00		4,38		01636	01637	01638	01639	01641
x 7,00		5,78		01642	01643	01644	01645	01647
41,00 x 1,00		1,00		01648	01649	01650	01651	01653
42,00 x 2,00		2,00		01654	01655	01656	01657	01659
x 3,00		2,93		01660	19127	01662	19179	01665
x 6,00		5,40		01666	01667	01668	01669	01671
42,16 x 1,65	1 1/4" SCH5S	1,67		01672	01673	01674	01676	801000
x 2,77	1 1/4" SCH 10S	2,73		01684	01685	01686	01688	801000
x 3,56	1 1/4" SCH 40S	3,44		01690	01691	01692	01694	801000
x 4,85	1 1/4" SCH 80S	4,53		01696	01697	01698	01700	801000
x 6,35	1 1/4" SCH 160	5,69		01702	01703	01704	01706	801000
42,40 x 1,60		1,68		01708	01709	01710	01711	01713
x 2,00		2,02		01714	01715	01716	01717	01719
x 2,60		2,59		01720	01721	01722	01723	01725
x 3,20	1 1/4" ISO	3,14		01726	01727	01728	01729	01731
x 4,05		3,84		01732	01733	01734	01735	01737
43,00 x 1,50		1,55		01738	01739	01740	01741	01743
x 5,50		5,16		01744	01745	01746	01747	01749
44,00 x 2,00		2,10		01750	01751	01752	01753	01755
x 3,00		3,08		01756	01757	01758	01759	01761
44,50 x 2,00		2,12		01762	01763	01764	01765	01767
x 2,30		2,43		01768	01769	01770	01771	01773
x 2,60		2,72		01774	01775	01776	01777	01779
x 2,90		3,02		01780	01781	01782	01783	01785
x 3,20		3,30		01786	01787	01788	01789	01791
x 4,00		4,05		01792	01793	01794	01795	01797
x 5,50		5,45		01798	01799	01800	01801	01803
45,00 x 1,50		1,63		01804	01805	01806	01807	01809
x 2,00		2,15		01810	01811	01812	01813	01815
x 3,50		3,63		01816	01817	01818	01819	01821
x 4,00		4,10		01822	01823	01467	01824	01826
x 5,00		5,00		01827	01828	01829	01830	01832
48,00 x 2,50		2,84		01833	01834	01835	01836	01838
x 4,00		4,40		01839	01840	01841	01842	01844
48,26 x 1,65	1 1/2" SCH5S	1,92		01845	01846	01847	01849	801000
x 2,77	1 1/2" SCH 10S	3,15		01851	01852	01853	01855	801000
x 3,68	1 1/2" SCH 40S	4,10		01857	01858	01859	01861	801000
x 5,08	1 1/2" SCH 80S	5,49		01863	01864	01865	01867	801000
x 7,14	1 1/2" SCH 160	7,35		01869	01870	01871	01873	801000
48,30 x 2,00		2,31		01875	01876	01877	01878	01880
x 2,60		2,97		01881	01882	01883	01884	01886

Seamless tubes and pipes  
Stainless and acid proof,  
Cold or hot finished,  
Annealed and pickled

Tolerances: EN/ISO 1127, ASTM A312, ANSI B 36.19  
Certificate: EN 10204/3.1

Dimension	Kg/m	EN	1.4301	1.4306	1.4541	1.4404	1.4571
			Articleno.	Articleno.	Articleno.	Articleno.	Articleno.
48,30 x 2,90	3,29		01887	01888	01889	01890	01892
x 3,20	3,61	1 1/2" ISO	01893	01894	01895	01896	01898
x 4,05	4,43		01899	01900	01901	01902	01904
49,00 x 5,50	5,99		01905	01906	01907	01908	01910
50,00 x 1,50	1,82		01911	01912	01913	01914	01916
x 2,00	2,40		01917	01918	01919	01920	01922
x 2,50	2,47		01923	01924	01925	01926	01928
x 3,00	3,53		01929	01930	01931	01932	01934
x 5,00	5,63		01935	01936	01937	01938	01940
x 6,00	6,61		01941	01942	01943	01944	01946
50,80 x 1,25	1,55		01947	01948	01949	01950	01952
x 1,65	2,03		01953	01954	01955	01956	01958
51,00 x 1,00	1,25		01959	01960	01961	01962	01964
x 2,00	2,45		01965	01966	01967	01968	01970
x 2,60	3,15		01971	01972	01973	01974	01976
x 3,00	3,49		01977	01978	01979	01980	01982
x 4,00	4,70		01983	01984	01985	01986	01988
52,00 x 1,00	1,27		01989	01990	01991	01992	01994
x 1,50	1,89		01995	01996	01997	01998	02000
x 2,00	2,50		02001	02002	02004	02005	02007
53,00 x 1,50	1,93		02008	02009	02010	02011	02013
x 2,50	3,16		02014	02015	02016	02017	02019
x 3,00	3,75		02020	02021	02022	02023	02025
x 4,00	4,90		02026	02027	02028	02029	02031
x 4,50	5,46		02032	02033	02034	02035	02037
54,00 x 1,60	2,16		02038	02039	02040	02041	02043
x 2,00	2,60		02044	02045	02046	02047	02049
x 3,00	3,83		02050	02051	02052	02053	02055
55,00 x 2,00	2,65		02056	02057	02058	02059	02061
x 2,50	3,28		02062	02063	02064	02065	02067
x 5,00	6,26		02068	02069	02070	02071	02073
57,00 x 2,00	2,75		02074	02075	02076	02077	02079
x 2,30	3,15		02080	02081	02082	02083	02085
x 2,60	3,54		02086	02087	02088	02089	02091
x 2,90	3,92		02092	02093	02094	02095	02097
x 3,50	4,68		02098	02099	02100	02101	02103
x 4,00	5,30		02104	02105	02106	02107	02109
x 4,50	5,91		02110	02111	02112	02113	02115
x 5,00	6,51		02116	02117	02118	02119	02121
57,00 x 6,50	8,22		02122	02123	02124	02125	02127
58,00 x 2,60	3,60		02128	02129	02130	02131	02133
60,00 x 5,00	6,88		02134	02135	02136	02137	02139
60,30 x 2,00	2,92		02140	02141	02142	02143	02145

Seamless tubes and pipes  
Stainless and acid proof,  
Cold or hot finished,  
Annealed and pickled

Tolerances: EN/ISO 1127, ASTM A312, ANSI B 36.19  
Certificate: EN 10204/3.1

Dimension		Kg/m	EN	1.4301	1.4306	1.4541	1.4404	1.4571
				Articlono.	Articlono.	Articlono.	Articlono.	Articlono.
x 2,30		3,34		02146	02147	02148	02149	02151
x 2,60		3,75		02152	02153	02154	02155	02157
x 2,90		4,16		02158	02159	02160	02161	02163
x 3,20		4,57		02164	02165	02166	02167	02169
x 3,60	2" ISO	5,11		02170	02171	02172	02173	02175
x 4,50		6,28		02176	02177	02178	02179	02181
60,33 x 1,65	2" SCH 5S	2,42		02182	02183	02184	02186	801000
x 2,77	2" SCH 10S	3,99		02188	02189	02190	02192	801000
x 3,91	2" SCH 40S	5,52		02194	02195	02196	02198	801000
x 5,54	2" SCH 80S	7,60		02200	02201	02202	02204	801000
x 8,74	2" SCH 160	11,12		02206	02207	02208	02210	801000
61,00 x 3,00		4,35		02212	02213	02214	02215	02217
x 5,50		7,64		02218	02219	02220	02221	02223
63,00 x 3,50		5,21		02224	02225	02226	02227	02229
63,50 x 1,60		2,55		02230	02231	02232	02233	02235
x 2,60		3,96		02236	02237	02238	02239	02241
x 3,50		5,40		02242	02243	02244	02245	02247
64,00 x 2,00		3,10		02248	02249	02250	02251	02253
65,00 x 2,50		3,91		02254	02255	02256	02257	02259
x 3,00		4,65		02260	02261	02262	02263	02265
x 3,50		5,39		02266	02267	02268	02269	02271
68,00 x 4,00		6,41		02272	02273	02274	02275	02277
70,00 x 2,00		3,40		02278	02279	02280	02281	02283
x 2,50		4,22		02284	02285	02286	02287	02289
x 2,90		4,87		02290	02291	02292	02293	02295
x 4,00		6,61		02296	02297	02298	02299	02301
x 4,50		7,38		02302	02303	02304	02305	02307
x 5,00		8,18		02308	02309	02310	02311	02313
x 5,50		8,88		02314	02315	02316	02317	02319
x 7,00		11,04		02320	02321	02322	02323	02325
73,03 x 2,11	2 1/2" SCH 5S	3,76		02326	02327	02328	02330	801000
x 3,05	2 1/2" SCH 10S	5,36		02332	02333	02334	02336	801000
x 5,16	2 1/2" SCH 40S	8,80		02338	02339	02340	02342	801000
x 7,01	2 1/2" SCH 80S	11,63		02344	02345	02346	02348	801000
x 9,53	2 1/2" SCH 160	15,15		02350	02351	02352	02354	801000
74,00 x 4,00		7,01		02356	02357	02358	02359	02361
75,00 x 2,50		4,53		02362	02363	02364	02365	02367
x 4,00		7,11		02368	02369	02370	02371	02373
76,00 x 5,00		8,88		02374	02375	02376	02377	02379
76,00 x 5,50		9,84		02380	02381	02382	02383	02385
x 6,00		10,51		02386	02387	02388	02389	02391
76,10 x 1,60		3,07		02392	02393	02394	02395	02397
x 2,00		3,71		02398	02399	02400	02401	02403

Seamless tubes and pipes  
Stainless and acid proof,  
Cold or hot finished,  
Annealed and pickled

Tolerances: EN/ISO 1127, ASTM A.312, ANSI B 36.19  
Certificate: EN 10204/3.1

Dimension	Kg/m	EN	1.4301	1.4306	1.4541	1.4404	1.4571
			Articleno.	Articleno.	Articleno.	Articleno.	Articleno.
76,10 x 2,60	4,78		02404	02405	02406	02407	02409
x 2,90	5,31		02410	02411	02412	02413	02415
x 3,20	5,84		02416	02417	02418	02419	801000
x 3,60 2 1/2" ISO	6,53		02422	02423	02424	02425	02427
x 4,00	7,22		02428	02429	02430	02431	02433
x 4,50	8,06		02434	02435	02436	02437	02439
x 5,30	9,30		02440	02441	02442	02443	02445
x 6,30	11,01		02446	02447	02448	02449	02451
80,00 x 2,00	3,90		02452	02453	02454	02455	02457
x 2,50	4,85		02458	02459	02460	02461	02463
x 4,00	7,61		02464	02465	02466	02467	02469
x 5,00	9,39		02470	02471	02472	02473	02475
83,00 x 3,50	6,96		02476	02477	02478	02479	02481
x 5,50	10,67		02482	02483	02484	02485	02487
84,00 x 2,00	4,10		02488	02489	02490	02491	02493
x 4,00	8,01		02494	02495	02496	02497	02499
85,00 x 2,00	4,15		02500	02501	02502	02503	02505
x 2,50	5,16		02506	02507	02508	02509	02511
86,00 x 3,00	6,23		02512	02513	02514	02515	02517
x 6,00	12,01		02518	02519	02520	02521	02523
x 7,50	14,74		02524	02525	02526	02527	02529
88,90 x 1,60	3,49		02530	02531	02532	02533	02535
x 2,00	4,35		02536	02537	02538	02539	02541
x 2,11 3" SCH 5S	4,58		02542	02543	02544	02546	801000
x 2,50	5,40		02548	02549	02550	02551	02553
x 2,90	6,24		02554	02555	02556	02557	02559
x 3,05 3" SCH 10S	6,55		02560	02561	02562	02564	801000
x 3,20	6,86		02566	02567	02568	02569	02571
x 3,60	7,68		02572	02573	02574	02575	02577
x 4,05 3" ISO	8,50		02578	02579	02580	02581	02583
x 4,50	9,51		02584	02585	02586	02587	02589
x 5,49 3" SCH 40S	11,46		02590	02591	02592	02594	801000
x 6,30	13,03		02596	02597	02598	02599	02601
x 7,62 3" SCH 80S	15,50		02602	02603	02604	02606	801000
x 11,13 3" SCH 160	21,67		02608	02609	02610	02612	801000
x 6,50	13,42		02614	02615	02616	02617	02619
90,00 x 5,00	10,50		02620	02621	02622	02623	02625
92,00 x 4,00	8,81		02626	02627	02628	02629	02631
97,00 x 4,00	9,31		02644	02645	02646	02647	02649
100,00 x 3,00	7,28		02650	02651	02652	02653	02655
100,00 x 8,00	18,42		02656	02657	02658	02659	02661
101,60 x 2,00	4,98		02662	02663	02664	02665	02667
x 2,113 1/2" SCH5S	5,25		02668	02669	02670	02672	801000

Seamless tubes and pipes  
Stainless and acid proof,  
Cold or hot finished,  
Annealed and pickled

Tolerances: EN/ISO 1127, ASTM A.312, ANSI B 36.19  
Certificate: EN 10204/3.1

Dimension	Kg/m	EN	1.4301	1.4306	1.4541	1.4404	1.4571
			Articleno.	Articleno.	Articleno.	Articleno.	Articleno.
101,60 x 3,05	3 1/2" SCH 10S	7,52	02674	02675	02676	02678	801000
x 3,60		8,83	02680	02681	02682	02683	801000
x 4,05	3 1/2" ISO	9,77	02685	02686	02687	02688	02690
x 5,74	3 1/2" SCH 40S	13,77	02691	02692	02693	02695	801000
x 8,08	3 1/2" SCH 80S	18,92	02697	02698	02699	02701	801000
102,00 x 3,00		7,43	02703	02704	02705	02706	02708
x 3,50		8,63	02709	02710	02711	02712	02714
x 6,50		15,54	02715	02716	02717	02718	02720
104,00 x 6,00		14,72	02721	02722	02723	02724	02726
105,00 x 2,50		6,41	02727	02728	02729	02730	02732
106,00 x 2,80		7,23	02733	02734	02735	02736	02738
x 3,00		7,73	02739	02740	02741	02742	02744
108,00 x 3,00		7,88	02745	02746	02747	02748	02750
x 3,20		8,39	02751	02752	02753	02754	02756
x 3,60		9,41	02757	02758	02759	02760	02762
x 4,00		10,41	02763	02764	02765	02766	02768
x 4,50		11,66	02769	02770	02771	02772	02774
x 5,40		13,87	02775	02776	02777	02778	02780
x 6,30		16,04	02781	02782	02783	02784	02786
110,00 x 6,00		15,62	02787	02788	02789	02790	02792
112,00 x 4,00		10,81	02793	02794	02795	02796	02798
x 6,00		15,92	02799	02800	02801	02802	02804
x 8,00		20,89	02805	02806	02807	02808	02810
114,30 x 2,11	4" SCH5S	5,92	02811	02812	02813	02815	801000
x 2,60		7,27	02817	02818	02819	02820	02822
x 2,90		8,08	02823	02824	02825	02826	02828
x 3,05	4" SCH 10S	8,49	02829	02830	02831	02833	801000
x 3,20		8,90	02835	02836	02837	02838	02840
x 3,60		9,97	02841	02842	02843	02844	02846
x 4,50	4" ISO	12,37	02847	02848	02849	02850	02852
x 5,40		14,72	02853	02854	02855	02856	02858
x 6,02	4" SCH 40S	16,32	02859	02860	02861	02863	801000
x 8,56	4" SCH 80S	22,66	02865	02866	02867	02869	801000
x 13,49	4" SCH 160	34,05	02871	02872	02873	02875	801000
121,00 x 4,00		11,71	02877	02878	02879	02880	02882
127,00 x 4,00		12,32	02883	02884	02885	02886	02888
133,00 x 4,00		12,72	02889	02890	02891	02892	02894
x 5,00		16,02	02895	02896	02897	02898	02900
139,70 x 4,00		13,59	02901	02902	02903	02904	02906
141,30 x 3,40	5 SCH 10S	11,74	02907	02908	02909	02911	801000
x 6,55	5" SCH 40S	22,10	02913	02914	02915	02917	801000
x 9,52	5" SCH 80S	31,41	02919	02920	02921	02923	801000
159,00 x 4,50		17,40	02925	02926	02927	02928	02930

Seamless tubes and pipes  
Stainless and acid proof,  
Cold or hot finished,  
Annealed and pickled

Tolerances: EN/ISO 1127, ASTM A312, ANSI B 36.19  
Certificate: EN 10204/3.1

Dimension		Kg/m	EN	1.4301	1.4306	1.4541	1.4404	1.4571
				Articleno.	Articleno.	Articleno.	Articleno.	Articleno.
168,28 x 3,40	6" SCH 10S	14,03		02931	02932	02933	02935	801000
x 7,11	6" SCH 40S	28,69		02937	02938	02939	02941	801000
x 10,97	6" SCH 80S	43,21		02943	02944	02945	02947	801000
x 4,50		18,45		02949	02950	02951	02952	02954
168,30 x 5,00		20,44		02955	02956	02957	02958	02960
193,00 x 2,00		4,55		02632	02633	02634	02635	02637
195,00 x 2,50		5,79		02638	02639	02640	02641	02643
219,08 x 8,18	8" SCH 40S	43,20		02961	02962	02963	02966	801000
x 12,70	8" SCH 80S	66,02		02968	02969	02970	02972	801000
219,10 x 6,30		33,56		02974	02975	02976	02977	02979
273,10 x 9,27	10" SCH 40S	61,24		02980	02981	02982	02984	801000
x 12,70	10" SCH 80S	82,81		02987	02988	02989	02991	801000
323,90 x 9,52	12" STD	74,94		02993	02994	02995	02996	02998
x 12,70	12" XS	98,96		02999	10441	10442	10443	10445

Seamless tubes and pipes  
Stainless and acid proof,  
Annealed and pickled,  
Alt. bright annealed

Tolerances: EN/ISO 1127, D4/T3  
Certificate: EN 10204/3.1

Dimension	Kg/m	EN	1.4306	1.4404
			Articleno.	Articleno.
6,00 x 1,00	0,12		19100	19150
1,50	0,16		8010000	19172
8,00 x 1,00	0,17		19101	19151
1,50	0,24		19102	19152
10,00 x 1,00	0,22		19103	19153
1,50	0,31		19104	19154
2,00	0,40		19129	19155
2,50	0,47		19130	8010000
12,00 x 1,00	0,27		19105	19156
1,50	0,39		19106	19157
2,00	0,50		19107	19158
14,00 x 2,00	0,60		19108	8010000
15,00 x 1,50	0,50		19109	19159
2,00	0,65		19110	19160
16,00 x 1,50	0,54		19111	19173
2,00	0,70		19112	19161
18,00 x 1,50	0,62		19113	19162
2,00	0,80		19114	19174
20,00 x 1,50	0,69		19115	8010000
2,00	0,90		19116	19163
2,50	1,09		8010000	19164
22,00 x 1,50	0,77		19117	8010000
2,00	1,00		19118	19165
25,00 x 1,50	0,88		19131	8010000
2,00	1,15		19119	19166
2,50	1,40		19120	19167
3,00	1,63		19128	19168
28,00 x 1,50	0,99		8010000	19169
2,00	1,30		19121	8010000
2,50	1,59		19122	8010000
3,00	1,87		8010000	19175
30,00 x 3,00	2,02		19123	19170
35,00 x 2,00	1,65		8010000	19171
2,50	2,03		19132	8010000
3,00	2,33		19124	19176
38,00 x 3,00	2,62		19125	19177
4,00	3,40		19126	19178
5,00	4,07		8010000	8010000
42,00 x 3,00	4,31		19127	19179