

Welded tubes

Tolerances: *EN ISO 1127 D3/T3*

Certificate: *EN 10204/3.1*

Welded steel tubes,
Stainless and acid proof,
Calibrated and annealed

Tolerances: EN/ISO 1127 D3/T3 or D2/T3
Length: approx 6.000 mm
Certificate: EN 10204/3.1

Dimension	Kg/m	EN	1.4301 TIG Articleno.	1.4404 TIG-welded Articleno.	1.4571 TIG-welded Articleno.	1.4432/1.4435 TIG-welded Articleno.	1.4301 HF not annealed Articleno.
6,00 x 0,50	0,07		03000	03001	03002	03003	
1,00	0,12		03004	03005	03006	03007	
8,00 x 0,50	0,09		03008	03009	03010	03011	
1,00	0,17		03012	03013	03014	03015	
1,50	0,24		806000	806000	806000	806000	
9,00 x 1,00	0,20		03016	03017	03018	03019	
10,00 x 0,50	0,12		03020	03021	03022	03023	
1,00	0,22		03024	03025	03026	03027	
1,50	0,31		03028	03029	03030	03031	
10,20 x 1,60	0,34		03032	03033	03034	03035	
11,00 x 1,00	0,24		03040	03041	03042	03043	
12,00 x 1,00	0,27		03044	03045	03046	03047	
1,50	0,39		03048	03049	03050	03051	32136
13,00 x 1,00	0,30		03056	03057	03058	03059	
1,50	0,43		11017	806000	806000	806000	
13,50 x 2,00	0,57		03060	03061	03062	03063	
2,30	0,65	1/4" ISO	03064	03065	03066	03067	
14,00 x 1,00	0,32		03068	03069	03070	03071	
1,50	0,46		03072	806000	806000	806000	
2,00	0,60		03076	03077	03078	03079	
15,00 x 1,00	0,35		03080	03081	03082	03083	
1,50	0,50		03084	03085	03086	03087	32137
2,00	0,65		03088	03089	03090	03091	
16,00 x 1,00	0,37		03092	03093	03094	03095	
1,25	0,45		03096	03097	03098	03099	
1,50	0,54		03100	03101	03102	03103	
2,00	0,70		03104	03105	03106	03107	
17,00 x 1,00	0,40		03108	03109	03110	03111	
1,50	0,58		03112	03113	03114	03115	
17,20 x 1,50	0,59		03116	03117	03118	03119	
1,60	0,62		03120	03121	03122	03123	
2,00	0,76		03124	03125	03126	03127	32138
2,35	0,87	3/8" ISO	03128	03129	03130	03131	
2,35	0,87	3/8" ISO	11079	806000	806000	806000	not annealed
18,00 x 1,00	0,42		03132	03133	03134	03135	
1,50	0,61		03136	03137	03138	03139	32139
2,00	0,80		03140	03141	03142	03143	
19,05 x 1,00	0,45		03144	03145	03146	03147	
1,25	0,54		03148	03149	03150	03151	
1,50	0,64		03152	03153	03154	03155	
20,00 x 1,00	0,47		03156	03157	03158	03159	
1,25	0,58		03160	03161	03162	03163	
1,50	0,69		03164	03165	03166	03167	32136

Welded steel tubes,
Stainless and acid proof,
Calibrated and annealed

Tolerances: EN/ISO 1127 D3/T3 or D2/T3
Length: approx 6.000 mm
Certificate: EN 10204/3.1

Dimension	Kg/m	EN	1.4301	1.4404	1.4571	1.4432/1.4435	1.4301
			TIG	TIG-welded	TIG-welded	TIG-welded	HF not annealed
			Articleno.	Articleno.	Articleno.	Articleno.	Articleno.
20,00 x 2,00	0,90		03168	03169	03170	03171	29857
21,30 x 2,00	0,97		03172	03173	03174	03175	
2,00	0,97	not annealed	11080	806000	806000	806000	29876
2,65 1/2" ISO	1,24		03176	03177	03178	03179	
2,65	1,24	not annealed	11081	806000	806000	806000	
22,00 x 1,00	0,52		03188	03189	03190	03191	
1,25	0,64		03192	03193	03194	03195	
1,50	0,77		03196	03197	03198	03199	32140
2,00	1,00		03200	03201	03202	03203	32141
23,00 x 1,00	0,55		03204	03205	03206	03207	
1,50	0,80		03208	03209	03210	03211	
25,00 x 1,00	0,60		03216	03217	03218	03219	
1,25	0,74		08067	08068	806000	806000	
1,50	0,88		03224	03225	03226	03227	29869
2,00	1,15		03228	03229	03230	03231	
2,00	1,15	not annealed	15104	806000	806000	806000	29858
2,50	1,41		03232	03233	03234	03235	
25,40 x 1,25	0,75		03236	03237	03238	03239	
26,90 x 1,60	1,02		03240	03241	03242	03243	
2,00	1,26		03244	03245	03246	03247	
2,00	1,26	not annealed	11082	806000	806000	806000	29877
2,60 3/4" ISO	1,61		03248	03249	03250	03251	
2,60 3/4" ISO	1,61	not annealed	11100	806000	806000	806000	
28,00 x 1,00	0,67		03252	03253	03254	03255	
1,25	0,82		03256	03257	03258	03259	
1,50	0,99		03260	03261	03262	03263	32142
2,00	1,30		03264	03265	03266	03267	29859
30,00 x 1,00	0,72		03268	03269	03270	03271	
1,50	1,07		03272	03273	03274	03275	29870
2,00	1,40		03276	03277	03278	03279	29866
2,50	1,72		03280	03281	03282	03283	
32,00 x 1,00	0,77		03284	03285	03286	03287	
1,25	0,96		08072	08073	03290	03291	
1,50	1,13		03292	03293	03294	03295	
2,00	1,50		03296	03297	03298	03299	
33,00 x 1,50	1,18		03300	03301	03302	03303	
33,70 x 1,00	0,81		15006	806000	806000	15001	
1,60	1,29		03304	03305	03306	03307	
2,00	1,60		03308	03309	03310	03311	29878
2,00	1,60	not annealed	11083	806000	806000	806000	
2,60	2,02		03312	03313	03314	03315	
2,90	2,24		03316	03317	03318	03319	
3,00	2,31						32143

Welded steel tubes,
Stainless and acid proof,
Calibrated and annealed

Tolerances: EN/ISO 1127 D3/T3 or D2/T3
Length: approx 6.000 mm
Certificate: EN 10204/3.1.

Dimension	Kg/m	EN	1.4301 TIG Articleno.	1.4404 TIG-welded Articleno.	1.4571 TIG-welded Articleno.	1.4432/1.4435 TIG-welded Articleno.	1.4301 HF not annealed Articleno.
33,70 x 3,25	2,48	not annealed	11101	806000	806000	806000	
3,25 1" ISO	2,48		03320	03321	03322	03323	
34,00 x 1,00	0,82		03324	03325	03326	03327	
1,50	1,22		03328	03329	03330	03331	
2,00	1,60		03332	03333	03334	03335	
35,00 x 1,50	1,26		03336	03337	03338	03339	
2,00	1,65		03340	03341	03342	03343	
2,50	2,04		03344	03345	03346	03347	
36,00 x 2,00	1,70		03348	03349	03350	03351	
38,00 x 1,00	0,93		03352	03353	03354	03355	
1,25	1,15		08077	08078	03358	03359	
1,50	1,37		03360	03361	03362	03363	32144
2,00	1,82		03364	03365	03366	03367	
2,50	2,18		03368	03369	03370	03371	
38,10 x 1,50	1,33		03376	03377	03378	03379	
40,00 x 1,00	0,98		08127	03381	03382	03383	
1,50	1,44		03384	03385	03386	03387	
2,00	1,90		03388	03389	03390	03391	
42,40 x 1,00	1,03		15005	15002	806000	806000	
1,60	1,63		03400	03401	03402	03403	
2,00	2,04		03392	03405	03394	03395	
2,00	2,04	not annealed	11001	806000	806000	806000	29880
2,50	2,50		806000	806000	806000	806000	29873
2,65	2,59		03408	03409	03410	03411	
2,90	2,86		03412	03413	03414	03415	
3,00	2,96		806000	806000	806000	806000	29861
3,25 1 1/4" ISO	3,18		03416	03417	03418	03419	
3,25	3,18	not annealed	11102	806000	806000	806000	
43,00 x 1,50	1,55		03420	03421	03422	03423	
1,50	1,55	not annealed	16601	806000	16607	806000	
44,50 x 1,50	1,61		03424	03425	03426	03427	
2,00	2,14		03428	03429	03430	03431	
2,65	2,72		03432	03433	03434	03435	
2,90	3,02		03436	03437	03438	03439	
48,30 x 1,60	1,84		15250	806000	806000	806000	
2,00	2,28		03452	03453	03454	03455	
2,00	2,28	not annealed	11084	806000	806000	806000	29883
2,50	2,86		806000	806000	806000	806000	29879
2,65	2,98		03456	03457	03458	03459	
2,90	3,29		03460	03461	03462	03463	
3,00	3,40		806000	806000	806000	806000	29861
3,25 1 1/2" ISO	3,61		03464	03465	03466	03467	
3,25	3,61	not annealed	11103	806000	806000	806000	

Welded steel tubes,
Stainless and acid proof,
Calibrated and annealed

Tolerances: EN/ISO 1127 D3/T3 or D2/T3
Length: approx 6.000 mm
Certificate: EN 10204/3.1

Dimension	Kg/m	EN	1.4301 TIG Articleno.	1.4404 TIG-welded Articleno.	1.4571 TIG-welded Articleno.	1.4432/1.4435 TIG-welded Articleno.	1.4301 HF not annealed Articleno.
50,00 x 1,00	1,22		03468	03469	03470	03471	
1,50	1,79		15420	806000	806000	806000	
2,00	2,40		03472	03473	03474	03475	
51,00 x 1,25	1,56		08082	08083	03485	03486	
1,50	1,89		03487	03488	03489	03490	32145
51,00 x 2,00	2,47		03491	03492	03493	03494	
52,00 x 1,00	1,27		08135	03496	03497	03498	
1,50	1,89		08139	03500	03501	03502	
2,00	2,50		03503	03504	03505	03665	
53,00 x 1,50	1,93		03506	03507	03508	03509	
54,00 x 2,00	2,62		03510	03511	03512	03513	
57,00 x 1,50	2,08		03514	03515	03516	03517	
2,00	2,78		03518	03519	03520	03521	
2,50	3,41		03522	03523	03524	03525	
2,90	3,96		03526	03527	03528	03529	
60,30 x 1,60	2,37		03550	806000	806000	806000	
2,00	2,94		03530	03531	03532	03533	29881
2,00	2,94	not annealed	11085	806000	806000	806000	
2,65	3,78		03534	03535	03536	03537	
2,90	4,16		03538	03539	03540	03541	
3,00	4,30		806000	806000	806000	806000	32146
3,25	4,64		03542	03543	03544	03545	
3,65	5,17	2" ISO	03546	03547	03548	03549	
3,65	5,17	not annealed	11086	806000	806000	806000	
4,00	5,64		806000	806000	806000	806000	32147
63,50 x 1,50	2,32		08087	08088	03560	03561	
2,65	3,99		03562	03563	03564	03565	
68,00 x 1,50	2,46		04289	806000	806000	806000	
69,00 x 2,00	3,30	not annealed	16605	16611	806000	806000	
70,00 x 1,50	2,57		03566	03567	03568	03569	
2,00	3,43		08147	08148	03572	03573	
73,03 x 1,50	2,68		03574	03575	03576	03577	
76,10 x 1,60	3,07		03586	03587	03588	03589	
2,00	3,74		08092	08093	03592	03593	29864
2,60	4,78		03594	03595	03596	03597	
2,90	5,36		03598	03599	03600	03601	
3,20	5,92		03602	03603	03604	03605	
3,60	6,62	2 1/2" ISO	03606	03607	03608	03609	
80,00 x 1,50	2,94		03610	03611	03612	03613	
2,00	3,90	not annealed	806000	03615	03616	03617	03737
85,00 x 2,00	4,15		08151	03667	03619	03620	

Welded steel pipes,
Stainless and acid proof,
Calibrated and annealed

Tolerances: EN/ISO 1127 D3/T3 or D2/T3
Length: approx 6.000 mm
Certificate: EN 10204/3.1

Dimension	Kg/m	EN	1.4301	1.4404	1.4571	1.4432/1.4435	1.4301
			TIG	TIG-welded	TIG-welded	TIG-welded	HF not annealed
			Articleno.	Articleno.	Articleno.	Articleno.	Articleno.
88,90 x 1,60	3,52		03621	03622	03623	03624	
2,00	4,35	not annealed	16212	03626	03627	03628	
3,00	6,45		806000	806000	806000	806000	03773
4,00	8,50		03645	03646	03647	03648	
5,49	11,47		15252	15251	806000	806000	
101,60 x 2,00	4,93		08097	08098	03655	03656	
114,30 x 3,60	9,95	not annealed	03671	03668	03669	03670	
4,00	11,05	not annealed	03841	806000	806000	806000	

Welded pipes
Stainless and acid proof,
Not annealed

Tolerances: EN/ISO 1127 D2/T3, EN 10217-7
Length: approx 6.000 mm
Certificate: EN 10204/3.1

Dimension	Kg/m	EN	1.4301	1.4404
			Articleno.	Articleno.
83,0 x 1,50	3,08		16224	16225
84,0 x 2,00	4,13		16200	16201
88,9 x 2,00	4,35		16212	16213
3,00	6,45		03769	03775
103,0 x 1,50	3,84		16226	16227
104,0 x 2,00	5,14		16202	16203
106,0 x 3,00	7,79		16252	03799
108,0 x 2,00	5,34		03801	03803
114,3 x 2,00	5,62		16214	16215
3,00	8,36		16241	16242
4,00	11,05		03841	03843
128,0 x 1,50	4,68		16266	16265
129,0 x 2,00	6,40		16204	16205
133,0 x 2,00	6,62		03861	03863
139,7 x 2,00	6,89		16216	16217
153,0 x 1,50	5,73		16228	16229
154,0 x 2,00	7,66		16206	16207
156,0 x 3,00	11,60		16253	16254
168,3 x 2,00	8,32		16218	16219
3,00	12,42		16243	16088
204,0 x 2,00	10,20		16208	16209
205,0 x 2,50	12,80		16100	03979
206,0 x 3,00	15,40		16244	16245
219,1 x 2,00	10,90		16220	16221
3,00	16,24		16258	04007
254,0 x 2,00	12,70		16210	16211
256,0 x 3,00	19,10		16246	16247
273,0 x 2,00	13,60		04041	04143
2,60	17,60		04145	04147
2,90	19,67		04149	04151
3,00	20,28		04153	04155
304,0 x 2,00	15,20		16086	16259
305,0 x 2,50	19,10		16263	16102
306,0 x 3,00	22,90		16248	16249
323,9 x 3,00	24,11		16257	04199
355,6 x 2,50	22,11		04225	16264
3,00	26,45		16250	16251
406,4 x 3,00	30,30		16255	16256
506,0 x 3,00	38,00		16103	16104
605,0 x 2,50	38,00		04261	04263
606,0 x 3,00	45,60		04265	04267
706,0 x 3,00	53,20		04269	04271
708,0 x 4,00	71,00		04273	04275

Welded pipes
Stainless and acid proof,
Not annealed

Tolerances: EN/ISO 1127 D2/T3, EN 10217-7
Length: approx 6.000 mm
Certificate: EN 10204/3.1

Dimension	Kg/m	EN	1.4301	1.4404
			Articleno.	Articleno.
806,0 x 3,00	60,70		04277	04279
808,0 x 4,00	81,10		04281	04283

Welded ornamental tubes
Stainless and acid proof,
Calibrated, outside polished, gritt 320

Tolerances: EN/ISO 1127 D3/T3
Length: approx 6.000 mm

Dimension		Kg/m	EN	1.4301	1.4404
				Articleno.	Articleno.
6,00 x 1,00	annealed	0,12		08000	08001
8,00 x 1,00	annealed	0,17		08002	08003
10,00 x 1,00	annealed	0,22		08004	08005
1,50	annealed	0,32		11019	807000
12,00 x 1,00	annealed	0,27		08006	08007
1,50	annealed	0,39		11073	807000
13,00 x 1,50	annealed	0,42		08010	08011
14,00 x 1,00	annealed	0,32		08012	08013
16,00 x 1,00	not annealed	0,37		08014	08015
1,25	not annealed	0,45		08016	08017
1,50	not annealed	0,54		08018	08019
19,05 x 1,20	annealed	0,45		16450	807000
1,25		0,54		08020	08021
1,50	not annealed	0,64		16000	807000
20,00 x 1,00	not annealed	0,47		08022	08023
1,25	annealed	0,58		08024	08025
1,50	annealed	0,68		11022	807000
1,50	not annealed	0,68		08026	08027
2,00		0,89		11059	807000
22,00 x 1,00	annealed	0,52		11048	807000
1,25	not annealed	0,64		08028	08029
1,50	not annealed	0,77		08030	08031
25,00 x 1,25	annealed	0,77		08064	08065
1,50	not annealed	0,87		08034	08035
2,00	not annealed	1,13		11060	807000
28,00 x 1,25	not annealed	0,82		08036	08037
30,00 x 1,50	not annealed	1,06		08038	08039
2,00	not annealed	1,38		11062	807000
32,00 x 1,50	not annealed	1,13		08042	15051
2,00	not annealed	1,48		08044	08045
33,70 x 1,60	annealed	1,29		08247	807000
35,00 x 1,50	not annealed	1,24		11061	807000
38,00 x 1,50	not annealed	1,37		08048	08049
2,00	not annealed	1,82		08050	08051
40,00 x 2,00	annealed, poli. gritt 500	2,00		11041	807000
44,50 x 2,00	annealed, poli. gritt 400	2,14		11020	807000
51,00 x 2,00		2,47		08056	08057

Welded hygienic tubes, DS standard
Stainless and acid proof,
Inside bead rolled, annealed

Tolerances: EN/ISO 1127 D4/T3, EN 10217-7,
kl. 1 udførelse efter DIN 11850
Length: approx 6.000 mm
Certificate: EN 10204/3.1

Dimension	Kg/m	EN	1.4301	1.4301	1.4404	1.4404
			Not polished	Polished gritt 220/240	Not polished	Polished gritt 220/240
			Articleno.	Articleno.	Articleno.	Articleno.
25,0 x 1,20	0,74		08067	08064	08068	08065
1,20	not annealed	0,74	803000	08240	803000	803000
32,0 x 1,20	0,96		08072	08069	08073	803000
38,0 x 1,20	1,15		08077	08074	08078	08075
1,20	not annealed	1,15	803000	08241	803000	803000
51,0 x 1,20	1,56		08082	08079	08083	08080
1,20	not annealed	1,56	803000	08242	803000	803000
63,5 x 1,50	2,33		08087	08084	08088	08085
1,50	not annealed	2,33	803000	08243	803000	803000
76,1 x 1,60	3,07		03586	08228	03587	11404
2,00		3,70	08092	08089	08093	08090
2,00	not annealed	3,70	803000	08244	803000	803000
101,6 x 2,00	4,93		08097	08094	08098	08095
2,00	not annealed	4,93	803000	08245	803000	803000

Welded hygienic tubes, DIN standards
Stainless and acid proof,
Inside bead rolled, annealed

Tolerances: DIN 11850, EN 10217-7, kl. 1
Length: approx 6.000 mm
Certificate: EN 10204/3.1

Dimension	Kg/m	EN	1.4301	1.4301	1.4404	1.4404	1.4571	1.4571
			Not polished	Pol. gritt 220/240	Not polished	Pol. gritt220/240	Not polished	Pol. gritt 220/240
			Articleno.	Articleno.	Articleno.	Articleno.	Articleno.	Articleno.
18,0 x 1,50	0,61		803000	803000	803000	803000	803000	803000
22,0 x 1,00	0,52		08103	08159	08104	803000	803000	08106
1,50	0,77		08107	08163	08108	803000	08109	08110
28,0 x 1,00	0,67		08111	08167	08112	803000	08113	08114
1,50	0,99		08115	08171	08116	803000	803000	08118
34,0 x 1,00	0,82		08119	08175	08120	803000	803000	08122
1,50	1,22		08123	08179	08124	08126	803000	803000
40,0 x 1,00	0,97		08127	08183	08128	803000	803000	08130
1,50	1,44		08131	08187	08132	803000	803000	08134
52,0 x 1,00	1,25		08135	08191	08136	803000	803000	803000
1,50	1,89		08139	08195	08140	803000	803000	803000
70,0 x 2,00	3,40		08147	08203	08148	803000	803000	08150
85,0 x 2,00	4,16		08151	08207	08152	803000	803000	08154
104,0 x 2,00	5,10		08155	08211	08156	803000	803000	08158
129,0 x 2,00	not annealed	6,36	803000	08215	803000	803000	803000	803000
154,0 x 2,00	not annealed	7,61	803000	08219	803000	803000	803000	803000

Welded hygienic tubes, ASTM A270
Stainless and acid proof,
Inside bead rolled,

Length: approx 6.000 mm
Certificate: EN 10204/3.1

Dimension	Kg/m	EN	1.4301		1.4404	
			Not polished	Polished gritt 220/240	Not polished	Polished gritt 220/240
			Articlono.	Articlono.	Articlono.	Articlono.
25,0 x 1,50	0,88		16279	16280	16307	16308
1,60 annealed	0,88				32112	32113
38,1 x 1,50	1,37		16284	16285	16312	16313
1,60 annealed	1,37				32114	32115
50,8 x 1,50	1,83		16289	16290	16317	16318
1,60 annealed	1,83				32116	32117
63,5 x 1,50	2,33		16294	16295	26190	16338
1,60	2,33				32118	32119
76,1 x 1,50	3,07		16297	16298	16340	16341
1,60 annealed	3,07				32120	32121
101,6 x 1,63	4,08		16300	16301	16343	16344
2,00	4,93		16299	16625	16342	16627
2,00 annealed	4,93				32122	32123

Welded steel tubes
Stainless and acid proof,
Calibrated and annealed

Tolerances: ASTM A312. ANSI B36.19
Length: approx 6.000 mm
Certificate: EN 10204/3.1

Dimension		Kg/m	AISI	304L	316L
				Articleno.	Articleno.
21,34 x 1,65	1/2" SCH 5S	0,81		16500	16550
2,11	1/2" SCH 10S	1,01		16501	16551
2,77	1/2" SCH 40S	1,29		16502	16552
26,67 x 1,65	3/4" SCH 5S	1,03		16503	16553
2,11	3/4" SCH 10S	1,30		16504	16554
2,87	3/4" SCH 40S	1,71		16505	16555
33,40 x 1,65	1" SCH 5S	1,31		16506	16556
2,77	1" SCH 10S	2,12		16507	16557
3,38	1" SCH 40S	2,54		16508	16558
42,16 x 1,65	1 1/4" SCH 5S	1,67		16509	16559
2,77	1 1/4" SCH 10S	2,73		16510	16560
3,56	1 1/4" SCH 40S	3,43		16532	16561
48,26 x 1,65	1 1/2" SCH 5S	1,93		16511	16562
2,77	1 1/2" SCH 10S	3,15		16512	16563
3,68	1 1/2" SCH 40S	4,11		16513	16564
60,33 x 1,65	2" SCH 5S	2,42		16514	16565
2,77	2" SCH 10S	3,98		16515	16566
3,91	2" SCH 40S	5,52		16516	16567
73,03 x 3,05	2 1/2" SCH 10S	5,34		16517	16568
5,16	2 1/2" SCH 40S	8,76		16533	16585
88,90 x 2,11	3" SCH 5S	4,58		16518	16569
3,05	3" SCH 10S	6,54		16519	16570
5,49	3" SCH 40S	11,45		16520	16571
101,60 x 2,10	3 1/2" SCH 5S	5,23		03657	03658
3,05	3 1/2" SCH 10S	7,51		03661	03662
5,74	3 1/2" SCH 40S	13,77		16586	
114,30 x 2,11	4" SCH 5S	5,92		16521	16572
3,05	4" SCH 10S	8,48		16522	16573
6,02	4" SCH 40S	16,38		16523	16574
141,30 x 3,40	5" SCH 10S	11,74		16587	27722
6,55	5" SCH 40S	22,10		31741	16590
168,28 x 2,77	6" SCH 5S	11,47		16524	16575
3,40	6" SCH 10S	14,04		16525	16576
7,11	6" SCH 40S	28,68		16526	16577
219,08 x 2,77	8" SCH 5S	14,99		16527	16578
3,76	8" SCH 10S	20,25		16528	16579
8,18	8" SCH 40S	43,16		16529	16580
273,05 x 4,19	10" SCH 10S	28,20		16530	16581
323,85 x 2,77	10" SCH 40S	61,20		16588	16591
4,57	12" SCH 10S	36,53		16531	16582
9,53	12" SCH 40S	74,92		16589	16592
355,6 x 4,77	14" SCH 10S	41,92		31740	
406,4 x 4,77	16" SCH 10S	47,99		31739	

Welded profilør
Stainless and acid proof,
Not polished/polished gritt 220/240

Length: approx 6.000 mm
Certificate: EN 10204/3.1
EN 4571/4404

Dimension	Kg/m	EN	1.4301	1.4301	1.4571/1.4404
			Not polished	Polished gritt 220/240	Not polished
			Articleno.	Articleno.	Articleno.
Kvadratiske					
10 x 10 x 1,00	0,30		07001	07000	07002
15 x 15 x 1,00	0,45		07004	07003	07005
1,25	0,53		07007	07006	07008
1,50	0,66		07010	07009	07011
16 x 16 x 1,00	0,48		07013	07012	07014
1,50	0,69		07019	07018	07020
20 x 20 x 1,00	0,60		07022	07021	07023
1,25	0,71		07025	07024	07026
1,50	0,83		07028	07027	07029
2,00	1,15		07031	07030	07032
25 x 25 x 1,00	0,77		07040	07039	07041
1,25	0,92		07043	07042	07044
1,50	1,14		07046	07045	07047
2,00	1,49		07049	07048	07050
2,00	Suitable for telescoping	1,49	07535	07536	804000
3,00		2,18	16390	16375	804000
30 x 30 x 1,00	0,95		07052	07051	07053
1,25	1,10		07055	07054	07056
1,50	1,37		07058	07057	07059
2,00	1,84		07061	07060	07062
2,00	Suitable for telescoping	1,84	07537	804000	804000
2,50		2,34	07064	07063	07065
3,00		2,72	07067	07066	07068
35 x 35 x 1,00	1,10		07076	07075	07077
1,25	1,31		07079	07078	07080
1,50	1,62		07082	07081	07083
2,00	2,15		07085	07084	07086
2,00	Suitable for telescoping	2,15	07539	804000	804000
2,50		2,65	07088	07087	07089
40 x 40 x 1,00	1,30		07091	07090	07092
1,25	1,49		07094	07093	07095
1,50	1,85		07097	07096	07098
2,00	2,45		07100	07099	07101
2,00	Suitable for telescoping	2,45	07541	804000	804000
2,50		3,16	07103	07102	07104
3,00		3,75	07106	07105	07107
4,00		4,54	07530	804000	804000
45 x 45 x 1,25	1,70		07109	07108	07110
1,50	2,12		07112	07111	07113
2,00	2,80		07115	07114	07116
3,00	4,13		07118	07117	07119
50 x 50 x 1,25	1,86		07121	07120	07122

Welded box section
 Stainless and acid proof,
 Not polished/polished gritt 220/240

Length: approx 6.000 mm
 Certificate: EN 10204/3.1
 EN 4571/4404

Dimension	Kg/m	EN	1.4301	1.4301	1.4571/1.4404
			Not polished	Polished gritt 220/240	Not polished
			Articleno.	Articleno.	Articleno.
50 x 50 x	1,50	2,32	07124	07123	07125
	2,00	3,08	07127	07126	07128
	2,50	3,81	07130	07129	07131
	3,00	4,65	07133	07132	07134
	4,00	5,96	11072	804000	11065
60 x 60 x	1,50	2,80	07136	07135	07137
	2,00	3,71	07139	07138	07140
	2,50	4,60	07142	07141	07143
	3,00	5,49	07145	07144	07146
	4,00	7,22	07148	07147	07149
70 x 70 x	2,50	5,46	07154	07153	07155
	3,00	6,53	26811	804000	804000
	4,00	8,90	07151	07150	07152
80 x 80 x	2,00	4,98	07157	07156	07158
	2,50	6,24	07160	07159	07161
	3,00	7,53	07163	07162	07164
	4,00	9,81	07166	07165	07167
	5,00	12,39	07169	07168	07170
100 x 100 x	2,00	6,40	07172	07171	07173
	2,50	8,00	07175	07174	07176
	3,00	9,53	07178	07177	07179
	4,00	12,40	07181	07180	07182
	5,00	15,38	07184	07183	07185
	6,00	19,00	07525	804000	804000
120 x 120 x	2,00	7,91	07187	07186	07188
	2,50	9,86	07190	07189	07191
	3,00	11,80	07193	07192	07194
	4,00	15,03	07196	07195	07197
	5,00	18,66	07199	07198	07200
150 x 150 x	3,00	13,82	07202	07201	07203
	4,00	18,33	07205	804000	07206
	5,00	22,40	07208	07207	07209
	6,00	26,49	07211	07210	07212
200 x 200 x	3,00	18,62	07214	804000	07213
	4,00	24,57	07217	07216	07218
	5,00	30,40	07220	07219	07221
	6,00	36,09	07223	07222	07224
250 x 250 x	5,00	38,40	07226	07225	07227
300 x 300 x	6,00	45,69	07229	07228	07230

Welded box section
Stainless and acid proof,
Not polished/polished gritt 220/240

Length: approx 6.000 mm
Certificate: EN 10204/3.1
EN 4571/4404

Dimension	Kg/m	EN	1.4301	1.4301	1.4571/1.4404
			Not polished	Polished gritt 220/240	Not polished
			Articleno.	Articleno.	Articleno.
Rectangular					
20 x 10 x 1,00	0,45		07232	07231	07233
1,25	0,53		07235	07234	07236
1,50	0,66		07238	07237	07239
20 x 15 x 1,00	0,55		07241	07240	07242
1,25	0,62		11058	804000	804000
1,50	0,80		07244	07243	07245
25 x 10 x 1,50	0,80		07247	07246	07248
25 x 15 x 1,50	0,88		07250	07249	07251
25 x 20 x 1,50	0,99		07253	07252	07254
30 x 10 x 1,50	0,88		07256	07255	07257
30 x 15 x 1,00	0,67		07259	07258	07260
1,25	0,80		07262	07261	07263
1,50	0,99		07265	07264	07266
30 x 20 x 1,00	0,77		07268	07267	07269
1,25	0,92		07271	07270	07272
1,50	1,14		07274	07273	07275
2,00	1,50		07277	07276	07278
30 x 25 x 1,00	1,25		07280	07279	07281
35 x 20 x 1,50	1,25		07283	07282	07284
40 x 10 x 1,50	1,15		18200	804000	804000
2,00	1,50		18204	804000	804000
40 x 15 x 1,50	1,25		07286	07285	07287
40 x 20 x 1,00	0,95		07289	07288	07290
1,25	1,10		07292	07291	07293
1,50	1,37		07295	07294	07296
2,00	1,84		07298	07297	07299
40 x 30 x 1,50	1,62		07301	07300	07302
2,00	2,15		07304	07303	07305
3,00	3,02		07522	804000	804000
50 x 10 x 1,50	1,37		18201	804000	804000
2,00	1,84		18205	804000	804000
50 x 15 x 1,50	1,53		07307	07306	07308
50 x 20 x 1,50	1,62		07310	07309	07311
2,00	2,15		07526	07527	80400
50 x 25 x 1,25	1,41		07313	07312	07314
1,50	1,75		07316	07315	07317
2,00	2,31		07319	07318	07320
50 x 30 x 1,25	1,49		07322	07321	07323
1,50	1,85		07325	07324	07326
2,00	2,45		07328	07327	11066
3,00	3,75		07331	07330	07332
50 x 40 x 1,50	2,12		07334	07333	07335

Welded box section
 Stainless and acid proof,
 Not polished/polished gritt 220/240

Length: approx 6.000 mm
 Certificate: EN 10204/3.1
 EN 4571/4404

Dimension	Kg/m	EN	1.4301	1.4301	1.4571/1.4404
			Not polished	Polished gritt 220/240	Not polished
			Articleno.	Articleno.	Articleno.
50 x 40 x 2,00	2,80		07337	07336	07338
60 x 10 x 1,50	1,62		18202	804000	804000
2,00	2,15		18206	804000	804000
1,50	1,85		07340	07339	07341
60 x 20 x 2,00	2,45		07343	07342	07344
60 x 30 x 1,25	1,70		07346	07345	07347
1,50	2,12		07349	07348	07350
2,00	2,80		07352	07351	07353
3,00	4,13		07529	804000	804000
60 x 40 x 1,25	1,86		07355	07354	07356
1,50	2,32		07358	07357	07359
2,00	3,08		07361	07360	07362
2,50	3,81		07364	07363	07365
3,00	4,65		07367	07366	07368
4,00	5,96		07370	07369	07371
80 x 10 x 1,50	2,12		18203	804000	804000
2,00	2,80		18207	804000	804000
80 x 20 x 2,00	3,08		18208	804000	804000
80 x 40 x 1,50	2,80		07373	07372	07374
2,00	3,71		07376	07375	07377
2,50	4,60		07379	07378	07380
3,00	5,49		07382	07381	07383
4,00	7,22		07385	07384	07386
5,00	8,90		07388	07387	07389
80 x 60 x 2,00	4,38		07391	07390	07392
3,00	6,53		07394	07393	07395
100 x 20 x 2,00	3,711		18209	804000	804000
100 x 40 x 2,00	4,38		07397	07396	07398
2,50	5,46		07400	07399	07401
3,00	6,53		07403	07402	07404
100 x 50 x 2,00	4,68		07406	07405	07407
3,00	6,95		07409	07408	07410
4,00	9,12		07412	07411	07413
5,00	11,24		07415	07414	07415
100 x 60 x 2,00	4,98		07418	07417	07419
2,50	6,24		07421	07420	07422
3,00	7,53		07424	07423	07425
4,00	9,82		07427	07426	07428
5,00	12,40		07430	07429	07431
100 x 80 x 2,00	5,64		07433	07432	07434
3,00	8,38		07436	07435	07437
120 x 40 x 2,00	4,98		07439	07438	07440
3,00	7,53		07442	07441	07443

Welded box section
Stainless and acid proof,
Not polished/polished gritt 220/240

Length: approx 6.000 mm
Certificate: EN 10204/3.1
EN 4571/4404

Dimension	Kg/m	EN	1.4301	1.4301	1.4571/1.4404	
			Not polished	Polished gritt 220/240	Not polished	
			Articleno.	Articleno.	Articleno.	
120 x 60 x	2,00	5,62	07445	07444	07446	
	3,00	8,38	07448	07447	07449	
	4,00	11,05	07451	07450	07452	
	5,00	13,75	07454	07453	07455	
120 x 80 x	2,00	6,40	07457	07456	07458	
	3,00	9,53	07460	07459	07461	
	4,00	12,40	07463	07462	07464	
	5,00	15,38	07466	07465	07467	
	6,00	19,20	07528	804000	804000	
	140 x 80 x	3,00	9,98	07469	07468	07470
		5,00	16,00	07472	07471	07473
	150 x 50 x	2,00	6,40	07475	07474	07476
3,00		9,53	07478	07477	07479	
4,00		12,40	07481	07480	07482	
5,00		15,38	07484	07483	07485	
150 x 100 x	3,00	11,42	07487	07486	07488	
	4,00	14,97	07490	07489	07491	
	5,00	18,40	07493	07492	07494	
	6,00	21,69	07496	07495	07497	
	8,00	27,90	07499	07498	07500	
	160 x 80 x	3,00	10,94	07502	07501	07503
		5,00	17,60	07505	07504	07506
	200 x 100 x	3,00	13,82	07508	07507	07509
4,00		18,17	07511	07510	07512	
5,00		22,40	07514	07513	07515	
6,00		26,49	07517	07516	07518	
250 x 150 x	5,00	30,40	07520	07519	07521	

